

用户至上 精益求精 卓越创新 力争第一  
User first / Keep improving / Technology Innovation / Race to the top



 **泉州市纬龙针织机械有限公司**  
Quanzhou weilong warp knitting machinery Co., Ltd.

地址：福建省泉州市台商投资区洛阳镇绿谷工业区B-02  
电话(TEL): +86 595 22751858 传真(FAX): +86 595 87397658  
<http://www.fj-wl.com> E-mail:fj\_wljx@163.com



中国纬龙 世界品牌  
精雕细琢 品质为先  
Uncompromising attention to detail Quality first

关于纬龙 Company Introduction

泉州市纬龙针织机械有限公司是一家专业研发、生产和销售三线卫衣机、卫衣电脑提花机、对筒机、高密针单双面开副机等特种针织大圆机的高新技术企业。经历多年的发展，先后在福建、浙江、江苏、广东、山东、河北等省设立销售及市场服务点。

纬龙公司位于泉州市绿谷台商投资区，园区内台商企业众多，机械制造工艺先进、技术力量雄厚，其中纬龙更是机械行业的佼佼者。技术引导未来，改革促进进步，现在纬龙已经发展成为一家工贸一体的现代化生成型企业，厂房面积超过10000平方。公司与资深台商企业开展多方技术合作并吸纳国外尖端技术，使产品全面升级，先后从台湾引进CNC加工中心、卧式加工中心、立式加工中心及其他配套加工设备，年生产能力达到800余台。


纬龙产品大量销售于中国内地，同时大批量销往土耳其、孟加拉、印度、印度尼西亚、埃及、秘鲁、马来西亚等国，并且深受客户好评。公司历经了十余年的市场考验和发展，始终秉承“用户至上、精益求精、卓越创新、力争第一”的经营宗旨，不断创新完善，为客户提供更优质的服务。纬龙热忱欢迎国内外朋友来厂参观指导，选购本公司生产的针织大圆机系列产品，以行业领先的产品加快企业发展步伐。

Quanzhou Weilong Knitting Machine Co.,Ltd is a professional company combing develop, produce and sale together. The major products are TF-SFL, the computer jacquard machine, and the winder. The company experiences many year development, at present the business has spread the land, such as Fujian, Zhejiang, Jaingsu, Guangzhou, Shangdong and Hebei.


Weilong Knitting Mchine Co.,Ltd is located in Quanzhou Lvgu Taiwanese Investstment Zone. There are many Taiwanese businesses with advanced manufacturing process and powerful technology. Weilong is just outstanding one among them. Now, Weilong is a company which is the joint of trade and industry. Our plant area over 1,0000 square meters. It cooperates with Taiwanese businessman to upgrade its products. Weilong has introduced CNC processing centers, vertical machining centers and horizontal machining center, and other ancillary equipment. Weilong’s current annual manufacturing capacity is about 800 units.

China is the most important sales market, but Weilong has stated to go after these overseas markets including Turkey, Bangladesh, India, Indonesia, Egypt , Peru, Malaysia and so on. This company experienced the near ten year markets to strive for success with the struggle, has undergone the market test and the baptism. The factory pursues the aims-high quality, good service and always tries its best to provide the best products and the first class service for all the users.

We welcome you wholeheartedly to buy the series products of knitting machine and you are welcome to come for a visit.



平面示意图



针数表

(N.P.L) Gauge Dia of Cylinder	12	13	14	15	16	17	18	19	20	21	22	23	24	26	28	30	32
15"	576	612	660	708	756	804	852	900	948	984	1032	1080	1128	1224	1320	1416	1500
16"	600	660	708	756	816	852	900	960	1008	1080	1104	1152	1200	1308	1392	1500	1620
17"	636	696	756	804	864	912	960	1020	1080	1140	1188	1236	1284	1380	1476	1620	1704
18"	672	732	792	852	912	960	1020	1080	1140	1200	1260	1308	1356	1464	1584	1680	1800
19"	720	780	840	900	960	1020	1080	1140	1200	1260	1320	1380	1440	1560	1656	1800	1920
20"	756	816	888	948	1008	1080	1140	1200	1260	1320	1380	1440	1500	1632	1752	1896	2016
21"	792	852	936	996	1056	1128	1200	1260	1320	1380	1440	1512	1620	1716	1836	1980	2112
22"	828	900	984	1032	1104	1188	1260	1320	1380	1440	1512	1572	1680	1800	1920	2052	2220
23"	864	936	1020	1080	1152	1236	1308	1380	1440	1500	1584	1656	1740	1872	2016	2172	2316
24"	912	984	1056	1128	1200	1284	1356	1440	1500	1620	1680	1740	1800	1956	2100	2256	2412
25"	948	1020	1104	1176	1260	1332	1416	1500	1572	1680	1740	1800	1884	2040	2196	2352	2592
26"	984	1068	1140	1224	1320	1380	1464	1560	1632	1716	1800	1872	1956	2124	2280	2448	2796
27"	1020	1104	1188	1272	1356	1440	1576	1620	1692	1800	1860	1944	2028	2196	2376	2544	2712
28"	1056	1152	1236	1320	1416	1548	1584	1680	1752	1860	1920	2016	2100	2280	2460	2640	2808
29"	1092	1188	1272	1368	1464	1560	1620	1740	1836	1920	1992	2100	2172	2352	2532	2724	2904
30"	1140	1224	1320	1416	1500	1620	1680	1800	1896	1980	2052	2172	2256	2448	2640	2820	3012
31"	1176	1272	1356	1464	1560	1656	1740	1860	1956	2040	2136	2232	2340	2532	2712	2916	3108
32"	1212	1308	1404	1500	1620	1704	1800	1920	2016	2112	2220	2316	2412	2592	2796	3012	3216
33"	1248	1356	1440	1560	1656	1752	1860	1980	2076	2172	2280	2376	2476	2676	2892	3108	3312
34"	1284	1392	1500	1596	1704	1812	1920	2040	2136	2232	2352	2460	2544	2780	2976	3204	3408
35"	1320	1428	1536	1656	1752	1860	1980	2076	2196	2292	2412	2520	2616	2856	3060	3288	3516
36"	1356	1464	1584	1704	1800	1920	2040	2160	2256	2376	2496	2592	2712	2940	3168	3384	3612
38"	1428	1548	1668	1800	1908	2028	2148	2268	2400	2508	2628	2748	2856	3096	3336	3672	3816





ISO 9001国际认证




欧洲CE认证



高新企业

WL-SF三线卫衣机



用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

FEATURES 三线卫衣机特性:



编织优势  
KNITTING ADVANTAGE

三线卫衣机是本公司最具优势的产品，可以编织鱼鳞布、斜纹及法兰西双卫衣布，尤其是包丝卫衣、雪花布、细纱卫衣、小提花卫衣布等。集多款高难度布种于一身，成为行业的佼佼者。

New designed sweater with single3-thread inlay is the most advantaged product of the company. It can knit fish scale fabric, drill and flannelette, especially raw silk fleece, snow canvas, dobby fleece fabric and other complicated fabric. The machine is the best of the best.

一机多用  
MULTI-USAGE

互换性强，只需要更换心脏零件，即可将卫衣机转换成单面机或毛巾机，提高机器使用率。

The machine has strong interchangeability. The utilization rate can be increased by changing it into Single Knit Machine or Towel Machine.

专利跑道设计  
INVERTED CONE TRACK

专利跑道设计：专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。

Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorders.

优质材料  
QUALITY MATETRIAL

纬龙针织机械大到机脚小到一个螺丝的用料都是经过严格挑选，每个部件都是经过粗加工、自然实效、精加工、机械实效，再到研磨加工等多道工序，杜绝零件变形，品质更稳定。

Every parts of Weilong knitting machine are selected strictly. Through many processes from rough finish to fine finish to abrasive machining to avoid distortion so that the quality can be guaranteed.

技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-SF系列精品卫衣机	26" -34"	84F-108F	14G-32G	20-26RPM
WL-SF系列粗针卫衣机	30" -34"	72F-81F	7G-12G	20-26RPM





ISO 9001国际认证




欧洲CE认证



高新企业

WL-SJ精品单面机



用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

FEATURES 精品单面机特性:

编织优势  
KNITTING ADVANTAGE

可用于生产丝光棉、涤盖棉、彩条布、菜瓜布、单双珠网眼布、四面弹、鱼鳞小毛圈+氨纶、氨纶汗布等，布面精致平整、清晰，不容易反丝。

It can knit mercerized cotton, cotton-covering poly, color band cloth, souring pad, single and double bead mesh cloth, way spandex fabric, jersey and other complicated fabric. The machine is the best of the best. It has the advantages of flat clot cover, clear texture and pattern.

一机多用  
MULTI-USAGE

互换性强，只需要更换心脏部件，即可将单面机转换成毛巾机或卫衣机，提高机器使用率。

The machine has strong interchangeability. The utilization rate can be increased by changing it into Single Knit Machine or Towel Machine.

专利跑道设计  
INVERTED CONE TEACK

专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。

Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorders.

中心调整克重  
CENTRAL STITH

专利滚珠式定位设计，使中心调节升降系统，更灵活、轻便、精确、可靠。从而提高克重的控制精度。

Patented design of recirculating ball makes centering jacking system more flexible and convenient, precise and reliable in order to enhance the control precision.

技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-SJ系列精品单面机	12" -60"	36F-300F	14G-44G	20-26RPM





ISO 9001国际认证




欧洲CE认证



高新企业

WL-R双面罗纹机



用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

FEATURES 双面罗纹机特性:



编织优势  
KNITTING ADVANTAGE

织棉毛布时布面平整、条杆清晰，无横条、暗影。此外还可织格子布、提花布、直条布以及高品质、高要求的强捻、假捻罗马布。尤其是两面棉加氨纶中间单丝的空气层布优势特别显著。（山角系统上二下四，可定制上四下六）。  
It has the advantages of flat clot cover, stable dimension, smooth appearance and various colors. It can knit plaids, jacquard, vertical bar cloth, tight twist ponte and soft twist ponte. Otherwise, it has the advantages in producing double-layer air inclusion jersery of double-faced CVC. You can customize the cam system as you need.

一机多用  
MULTI-USAGE

根据不同需求改变对针角度或更换山角，编即可织罗纹、棉毛、或各种花样的组织布。  
According to the different needs, the position of needles can be changed. It can knit rib, cotton wool and kinds of cloth.

专利跑道设计  
INVERTED CONE TEACK

专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。  
Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorder.

中心调整克重  
CENTRAL STITH

专利滚珠式定位设计，使中心调节升降系统，更灵活、轻便、精确、可靠。从而提高克重的控制精度。  
Patented design of recirclulating ball makes centering jacking system more flexible and convenient, precise and reliable in order tot enhance the control precision.

技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-R系列双面罗纹机	17" -42"	36F-126F	14G-44G	20-26RPM





ISO 9001国际认证




欧洲CE认证



高新企业

WL-SW单面开幅机



用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

FEATURES 单面开幅机特性:

编织优势  
KNITTING ADVANTAGE

除了具备普通单面机的功能外。可使布完全没有折痕，提高布的利用率。  
Expect functions of normal single facer, the machine can guarantee no crease and enhance utilization efficiency.

一机多用  
MULTI-USAGE

互换性强，只需要更换心脏部件，即可将单面机转换成毛巾机或卫衣机，提高机器使用率。  
The machine has strong interchangeability. The utilization rate can be increased by changing it into Single Knit Machine or Towel Machine.

专利跑道设计  
INVERTED CONE TEACK

专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。  
Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoid disorder.

中心调整克重  
CENTRAL STITH

专利滚珠式定位设计，使中心调节升降系统，更灵活、轻便、精确、可靠。从而提高克重的控制精度。  
Patented design of recirculating ball makes centering jacking system more flexible and convenient, precise and reliable in order to enhance the control precision.

技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-SW系列单面开幅机	26" -42"	78F-168F	14G-44G	18-30RPM





ISO 9001国际认证




欧洲CE认证



高新企业

WL-DW双面开幅机



用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

FEATURES 双面开幅机特性:

编织优势  
KNITTING ADVANTAGE

除了具备普通双面机的功能外。可使布完全没有折痕，提高布的利用率。  
Expect functions of normal double facer, the machine can guarantee no crease and enhance utilization efficiency.

一机多用  
MULTI-USAGE

根据不同需求改变对针角度或更换山角，编即可织罗纹、棉毛、或各种花样的组织布。  
According to the different needs, the position of needles can be changed. It can knit rib, cotton wool and kinds of cloth.

专利跑道设计  
INVERTED CONE TEACK

专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。  
Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorders.

中心调整克重  
CENTRAL STITH

专利滚珠式定位设计，使中心调节升降系统，更灵活、轻便、精确、可靠。从而提高克重的控制精度。  
Patented design of recirculating ball makes centering jacking system more flexible and convenient, precise and reliable in order to enhance the control precision.

技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-DW系列双面开幅机	26" -42"	56F-126F	16G-32G	18-30RPM





ISO 9001国际认证




欧洲CE认证



高新企业

# WL-CD双面电脑提花机



用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

## FEATURES 双面电脑提花机特性:

### 编织优势 KNITTING ADVANTAGE

本机采用电脑选针器在针筒上选针，任何复杂的工艺图案均可通过电脑花型准备系统转换成控制程序。  
The machine use digitalized needle selecting machine to select needles from the cylinder. Every complicated technical illustrations can be formed from computer preparation system to the control program.

### 一机多用 MULTI-USAGE

根据不同需求更换山角或程式，即可编织各种移圈罗纹或各种花样的提花布。  
According to the different needs, the position of needles can be changed. It can knit kinds of ribs and figured cloth.

### 专利跑道设计 INVERTED CONE TEACK

专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。  
Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorders.

### 优质材料 QUALITY MATETRIAL

纬龙针织机械大到机脚小到一个螺丝的用料都是经过严格挑选，每个部件都是经过粗加工、自然实效、精加工、机械实效，再到研磨加工等多道工序，杜绝零件变形，品质更稳定。  
Every parts of Weilong knitting machine are selected strictly. Through many processes from rough finish to fine finish to abrasive machining to avoid distortion so that the quality can be guaranteed.

## 技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-CD系列双面电脑提花机	26" -38"	36F-84F	12G-24G	15-25RPM





ISO 9001国际认证



欧洲CE认证



高新企业

# WL-CF卫衣电脑提花机

用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

## FEATURES 卫衣电脑提花机特性:

### 编织优势 KNITTING ADVANTAGE

此机是本公司最新研发并申请了多项专利的权威机型，是世界上首台功能最齐全、工艺最完整的四线卫衣电脑提花机。此机克服了传统三线卫衣提花机在编织时出现毛圈漏底，正面花型图案的背面无毛圈，无法实现双色毛圈提花以及布面颜色少等缺陷。

This type of machine is the authority products of the company with patents, which is the most fully-featured computerized knitting machine with four-wire. It eliminates such defects like no loop on the back, color irregularity but achieve knitting bicolor jacquard.

### 一机多用 MULTI-USAGE

根据不同需求更换山角或程式，即可编织各种不同颜色的毛圈或各种花样的卫衣提花布或单面提花布。

According to the different needs, the position of needles can be changed. It can knit different colors of loop and kinds of fleece jacquard and single jacquard.

### 专利跑道设计 INVERTED CONE TEACK


专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。

Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorders.

### 优质材料 QUALITY MATETRIAL

纬龙针织机械大到机脚小到一个螺丝的用料都是经过严格挑选，每个部件都是经过粗加工、自然实效、精加工、机械实效，再到研磨加工等多道工序，杜绝零件变形，品质更稳定。

Every parts of Weilong knitting machine are selected strictly. Through many processes from rough finish to fine finish to abrasive machining to avoid distortion so that the quality can be guaranteed.




## 技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	转数(RPM)
WL-CF系列卫衣电脑提花机	26" -38"	36F-84F	12G-32G	18-30RPM



WL-T调线机

单面调线机  
双面调线机



ISO 9001国际认证




欧洲CE认证



高新企业

用户至上 精益求精 卓越创新 力争第一  
User first Keep improving  
Technology Innovation Race to the top

FEATURES 调线机特性：



编织优势  
KNITTING ADVANTAGE

采用伟龙立式变色头：操作方便、不积尘、无纱尾、少飞毛。对于不同成分、粗细的编织原料，都能切割自如，夹线牢固。采用高速二功位（成圈、集圈、浮线）电脑选针技术，可达到高速稳定的优越编织效果。

Vertical discolor machine has advantages of less wastage fibre, fibre damage small and easy to operate. It is easy to cut the fabric by this machine because the wire clamp can not easily fall off. It employs more efficient computerized needle selecting system to achieve superior knitting effects from.

一机多用  
MULTI-USAGE

根据不同需求更换山角或针筒，即可编织各种不同颜色的单面、毛巾、卫衣彩条布。

According to the different needs, the position of needles can be changed. It can knit different colors of single jersey, towel and color-stripes jersey.

专利跑道设计  
INVERTED CONE TEACK

专利倒锥型跑道靠点设计，保证大盘齿轮运转始终平稳，避免机台停止运转时造成停机横。

Patented design of inverted cone tracks guarantees the mechanical operation steady reliable, and avoids disorders.

优质材料  
QUALITY MATETRIAL

伟龙针织机械大到机脚小到一个螺丝的用料都是经过严格挑选，每个部件都是经过粗加工、自然实效、精加工、机械实效，再到研磨加工等多道工序，杜绝零件变形，品质更稳定。

Every parts of Weilong knitting machine are selected strictly. Through many processes from rough finish to fine finish to abrasive machining to avoid distortion so that the quality can be guaranteed.

技术规格 TECHNICAL DATA

型号(MODEL)	筒径(DIAMETER)	路数(FEEDER)	针距(GUANGE)	色种(CLR)	转数(RPM)
WL-T系列调线机	30" -34"	36F-72F	12G-32G	4-6	18-30RPM